

## HP-CNFW Wick

HP-CNFW wick is geared explicitly towards citronella candle systems. This high-performance wick combines the natural fiber's burn characteristics with the hot throw characteristics of a cotton wick to create a high-performance flat wick. Constructed of tightly braided long strands of cotton and natural fibers, this versatile flat wick is used in paraffin, palm, soy, and heavily scented wax blends, including citronella.

### Features:

- ❖ Constructed from 100% of cellulose fiber.
- ❖ Designed to be used in various paraffin wax, palm, soy, and heavily scented wax blends.
- ❖ Self-trimming wick characteristics, minimize soot, reduce carbon deposit, and afterglow.

Wick Designation	Yield (yds/lb)	ROC (oz/hr)	Flame Height (inches)	Pool Diameter (inches)
HP 991 CNFW	991	0.09	0.83	1.18
HP 807 CNFW	807	0.13	0.94	1.57
HP 644 CNFW	644	0.15	1.18	1.97
HP 621 CNFW	621	0.15	1.22	1.97
HP 594 CNFW	594	0.15	1.25	1.97
HP 487 CNFW	487	0.17	1.3	1.69
HP 483 CNFW	483	0.17	1.3	1.69
HP 460 CNFW	460	0.17	1.38	1.69
HP 414 CNFW	414	0.19	1.57	1.97
HP 379 CNFW	379	0.2	1.57	1.97
HP 290 CNFW	290	0.23	1.77	2.17
HP 180 CNFW	180	0.3	1.97	2.64

## Disclaimer

The rate charts provided in this document are meant to serve only as a guide for our customers to assist them in wick selection. Many variables exist in candle wax types, additives and formulations for individual candle systems. Final wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a particular candle system. Wicks Unlimited is not responsible for selections made by the customer using any of the reference material contained in this catalog. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated.

Wicks Unlimited  
 10000 Wicks Road  
 Houston, TX 77036  
 Phone: (954) 946-3500  
 Fax: (954) 545-7427  
 Email: [sales@wicksunlimited.com](mailto:sales@wicksunlimited.com)  
 Website: [www.wicksunlimited.com](http://www.wicksunlimited.com)



ASTM  
INTERNATIONAL

