



## Cotton Core Wick

Cotton core wick is made of braided cotton strands dipped in wax and compressed to hold their shape. This wick type produces a reliable and robust flame with minimal carbon buildup. It is designed for use in votive, pillar, and container candle systems. Wicks Unlimited carries a variety of cotton core wick types.

### Features:

- ❖ Constructed from 100% natural fibers with a cotton braid and an inner cotton core.
- ❖ Designed for use in tealights, votive, pillar, and container candles.
- ❖ Engineered to create a full-bodied flame while minimizing carbon buildup.

Wick Designation	Yield (yds/lb)	ROC (oz/hr)	Flame Height (inches)	Pool Diameter (inches)
WU 950 C	950	0.1	0.98	1.81
WU 800 C	800	0.11	1.1	1.95
WU 750 C	750	0.12	1.22	2.09
WU 700 C	700	0.14	1.38	2.13
WU 600 C	600	0.14	1.46	2.2
WU 500 C	500	0.17	1.57	2.4
WU 450 C	450	0.23	1.65	2.44
WU 400 C	400	0.23	1.81	2.49
WU 350 C	350	0.24	1.98	2.54
WU 300 C	300	0.25	2.17	2.6
WU 250 C	250	0.27	2.4	3.43
WU 200 C	200	0.3	2.64	4.25
WU 150 C	150	0.3	3.5	4.33

## Disclaimer

The rate charts provided in this document are meant to serve only as a guide for our customers to assist them in wick selection. Many variables exist in candle wax types, additives and formulations for individual candle systems. Final wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a particular candle system. Wicks Unlimited is not responsible for selections made by the customer using any of the reference material contained in this catalog. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated.

For more information, visit our website at [www.wicksunlimited.com](http://www.wicksunlimited.com)



ASTM INTERNATIONAL

