



Square Braided Wick™

Initially designed for beeswax candle systems, Square Braided wick™ is constructed with 100% natural fibers and finished with chemical treatments to improve the candle's overall burn qualities. Designed to curl while burning, Square Braided wick™ performs well in various candle applications, including tealights, votives, pillars, and containers.

Features:

- ❖ Constructed with 100% natural fibers and finished with chemical treatments.
- ❖ Designed for use in tealights, votives, pillars, and containers.
- ❖ Engineered to curl while burning, minimizing carbon buildup.

Wick Designation	Yield (yds/lb)	ROC (oz/hr)	Flame Height (inches)	Pool Diameter (inches)
# 6/0 T&T BL SQ	942	0.16	1.14	1.48
# 6/0 BL SQ	642	0.18	1.27	1.57
# 5/0 BL SQ	656	0.18	1.34	1.7
# 4/0 BL SQ	493	0.19	1.36	1.7
# 3/0 BL SQ	439	0.19	1.42	1.77
# 2/0 BL SQ	392	0.2	1.48	1.85
# 1/0 BL SQ	329	0.2	1.51	1.88
# 1 BL SQ	301	0.21	1.56	1.93
# 2 BL SQ	252	0.22	1.64	1.99

The information provided in this document is intended to serve only as a guide for our customers. It is not intended to be used as a substitute for the customer's own testing process to determine if a product meets their specific needs. Wicks Unlimited is not responsible for any damage or injury caused by the use of the products contained in this catalog. For optimal burn performance, we strongly recommend that customers conduct exhaustive burn tests in their own facilities using samples for their future product references. The information in this catalog is not intended to be used as a substitute for the customer's own testing and data which may be overstated.

Wick Designation	Yield (yds/lb)	ROC (oz/hr)	Flame Height (inches)	Pool Diameter (inches)
# 3 BL SQ	203	0.23	1.78	2.15
# 4 BL SQ	174	0.25	1.87	2.21
# 5 BL SQ	153	0.25	1.96	2.34
# 6 BL SQ	152	0.27	2.08	2.44
# 7 BL SQ	124	0.28	2.18	2.52
# 8 BL SQ	108	0.31	2.32	2.58
# 10 BL SQ	79	0.32	2.38	2.62
# 12 BL SQ	75	0.38	2.71	2.74

Disclaimer

The rate charts provided in this document are meant to serve only as a guide for our customers to assist them in wick selection. Many variables exist in candle wax types, additives and formulations for individual candle systems. Final wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a particular candle system. Wicks Unlimited is not responsible for selections made by the customer using any of the reference material contained in this catalog. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated.



ASTM
INTERNATIONAL

