



Standard Neck Wick Sustainers

Wicks Unlimited manufactures and supplies eleven (11) unique standard neck wick sustainers that enable candle manufacturers to create tabbed wicks from waxed wick on reels. Our standard sustainers are manufactured from .010" (0.254 mm) thick tin-coated steel that helps inhibit corrosion and are preferred by leading candle manufacturers worldwide. This best-selling sustainer series includes neck heights of 3.8 mm and 6.0 mm, with either a 15.0 mm or 20.0 mm base diameter(s) for easy gluing.

Features:

- ❖ Standard candle sustainers are available with 3.8 mm and 6.0 mm neck height(s).
- ❖ Available with either a 15.0 mm or 20.0 mm base diameter(s) for easy gluing.
- ❖ Wick insertion hole diameters from 2.1 mm to 4.1 mm to meet your specific requirements.

- Manufactured from .010" (0.254 mm) thick tin-coated steel that helps inhibit corrosion.
- 3.8 mm standard sustainers are only available with puncture crimp.
- 6.0 mm regular sustainers are available with a puncture or non-puncture crimping options for in-house cut and tab production runs.
- Wicks Unlimited's sustainers are accredited by the Quality Association for Candles and adhere to strict quality standards thanks to ISO: 9001:2015 certified quality management systems and state-of-the-art equipment.



Standard Neck Wick Sustainers

Sustainer	Base Diameter	Overall Height	Hole Diameter
A3789	15.0 mm .590"	3.8 mm .150"	2.4 mm .094"
A3015	15.0 mm .590"	3.8 mm .150"	3.0 mm .118"
A3840	15.0 mm .590"	3.8 mm .150"	3.8 mm .150"
A3786	20.0 mm .788"	3.8 mm .150"	2.4 mm .094"
A3793	20.0 mm .788"	3.8 mm .150"	3.0 mm .118"
A3792	15.0 mm .590"	6.0 mm .236"	2.4 mm .094"
A3779	15.0 mm .590"	6.0 mm .236"	3.0 mm .118"
A3957	20.0 mm .788"	6.0 mm .236"	2.1 mm .083"
A3797	20.0 mm .788"	6.0 mm .236"	2.4 mm .094"
A3796	20.0 mm .788"	6.0 mm .236"	3.0 mm .118"



Standard Neck Wick Sustainers

Sustainer	Base Diameter	Overall Height	Hole Diameter
A3881	20.0 mm .788"	6.0 mm .236"	4.1 mm .160"
A3798	15.0 mm .590"	10.0 mm .394"	2.4 mm .094"
A3777	15.0 mm .590"	10.0 mm .394"	3.0 mm .118"
A3961	20.0 mm .788"	10.0 mm .394"	2.1 mm .083"
A3800	20.0 mm .788"	10.0 mm .394"	2.4 mm .094"
A3799	20.0 mm .788"	10.0 mm .394"	3.0 mm .118"

Disclaimer

The sustainer's height determines the container's base thermal profile, indicating an aggressive or a conservative system and the remaining amount of wax at the candle's end of life.

The length chart provided in this document is meant to serve only as a reference for our customers to assist them in selecting the appropriate sustainer. Many variables exist in candle wick types, sustainers, wax types, additives, and formulations for individual candle systems. Final sustainer and wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a specific candle system.

Wicks Unlimited is not responsible for selections made by the customer using any of the reference material contained in this document. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated.



ASTM
INTERNATIONAL

